



Hima

Innovation Fine Pitch Rental Solution



All-in-one
Functions



Effortless
operation



Full black LEDs
High contrast





True color



High
protection

► Various applications



Live events / Corporate / Immersive / broadcast / Studio / XR stage / Virtual Production

Innovation All-in-one Functions


Unique lock system and corner protection



Seamless Cube



LED Dance Floor




Unique Lock
One man installation



Integrated Climbing
system

Stunning Virtual Performance

Perfect video performance, High contrast, Low - reflection.



Born for Stage Productions



▶ Technical Specifications

Item	PITCH	Indoor P1.9mm	Indoor P2.6mm	Outdoor P2.6mm	Outdoor P2.9mm	Outdoor P3.9mm	
	Technology	Anti-collision, 90°cube, Dance floor, Mini 4in1 LEDs, CCT					
Mechanical	LED Type	Mini4in1 / SMD1515	SMD2020	SMD1415	SMD1415	SMD1921	
	Pixel Density(dot/m2)	262984	147474	147474	113367	65410	
	Module Size (W x H) (mm)	250mm x 250mm					
	Moduel Resolution (W x H) (pixels)	128 x 128	96 x 96	96 x 96	84 x 84	64 x 64	
	Panel Size (W x H) (mm)	500mm x 500mm (19.66" x 19.66")					
	Panel Resolution (W x H) (pixels)	256 x 256	192 x 192	192 x 192	168 x 168	128 x 128	
	Panel Material	Die-casting aluminum					
	Panel Weight	7.5KG			8.0KG		
	Service	F/R			F/R		
	IP Rating	IP21			F: IP65, R: IP54		
Optical/ Video	Brightness	1000nits / 800nits	800nits	4000nits	4000nits	5000nits	
	Brightness (Full black leds)	/	/	2500nits	3000~3500nits (black leds)		
	Refresh Rate	3840~7680Hz					
	Color Temperature	6500K ± 500K			9000K ± 500K		
	Power Consumption (Avg./Max.)	200W / 500W			240W / 720W		
	Grey Level	16bit					
	View Angel (H/V) (0)	160/160					
	Input(V)	110-220V, 50-60Hz					
	Operating Temp/Humidity	-20 ~ 50 °C/ 10% ~ 90%					
	Certification	ETL/FCC/CE/CCC					

Shenzhen SoStron Technology Co.,Ltd

Building D, Hongfa Science Park (Yuepeng Road), 2035 Songbai Road, Baoan District, Shenzhen City,China.

Contact us +86 755 2334 3844 info@sostron.com www.sostron.com