







Branding



Easy content management



Location free

▶ Various applications







Design and Maintenance









Simple and effective presentation method




Versatility



Easy to install and maintain










Black







Fast lock









Content management online/offline

Make advertising online and publish to all USB flash plug and play



3in1 LED control system

Smart Power box



*PREVIEW

When we have LED screen, we need to use computer (or media player) as media source plus sending box and some receiving cards to make the screen work. Its with a lot of connections and its expensive solution.

Now with DoMedea all in one system card, it integrates android system player, sending card & receiving card all together, to make thinner, smarter, and easier display solutions.

FEATURES

- > Work with all kinds of indoor and outdoor led screen.
- > DoPlayer pre-buildin, login sostron.com to publish and control your led screens remotely.
- > Online cloud based and offline Plug&Play both compatible.
- > Can divide into different zone and show different content at the same time.
- > Linux based cloud server, and B/S based friendly interface to use.

Technical Specifications

Pixel Pitch		P3.0mm
Pixel Pitch	LED Type	SMD1415
	Pixel Density(dot/m2)	110,889
	Module Size	192 x 192mm
	Screen Size (each side)	384 x 384mm
	Screen Resolution (each side)	128 x 128
	Box Size(mm)	500 W x 500 H x 500 D mm
	Max. Power Consumption(w/sets)	350
	Operating System	200
	Weight	17KG
	Grey Level	14bit
	Driving Voltage(V)	5
	Input(V)	110-220
	Brightness	>4,500
	Viewing Angle	140 ° /140°
	Ingress Protection	IP65
	Refresh Frequency	7680HZ
	Operating Temperature	-20°C+60°C
	Operating Humidity	10%-90% RH

Shenzhen SoStron Technology Co.,Ltd

Building D, Hongfa Science Park (Yuepeng Road), 2035 Songbai Road, Baoan District, Shenzhen City, China.

Contact us +86 755 2334 3844 info@sostron.com www.sostron.com